



## SAFETY DATA SHEET

according to Regulation (EU) No. 1907/2006

112000009624

Version 1.1

Revision Date 11.08.2009

Print Date 12.08.2009

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

#### Product information

Trade name : **BAYBLEND FR 3000**  
Use : Production of moulded plastic articles

#### Company

Bayer MaterialScience AG  
BMS-IO-HSEQ-PSI (Product Safety)  
51368 Leverkusen

Tel: +49 214 30 25026  
Fax: +49 214 30 50035  
e-mail: productsafety@bayerbms.com  
In case of emergency: +49 214 30 99300 (Sicherheitszentrale Bayer)  
+44 1635 563000 (Bayer UK Ltd,  
Responsible Care Group, Newbury RG14 1JA, UK)

### 2. HAZARDS IDENTIFICATION

Not a product dangerous for health or the environment according to the definition of EC Directives 2006/121/EC or 1999/45/EC and their valid adaptations and derived national regulations.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

polymer blend based on bisphenol A - polycarbonate / acrylonitrile-butadiene-styrene copolymer, flame-retarded (low halogen content, free from chlorine and bromine)

### 4. FIRST AID MEASURES

**In case of skin contact:** CONTACT WITH THE HOT MELT: Cool immediately with plenty of water. Do not remove product crusts which may have formed neither forcibly nor by applying any solvents to the skin involved. To obtain treatment for possible burns, and appropriate skin care, seek medical advice immediately.

The following information refers to the handling of the product at room temperature. In case of skin contact wash affected areas thoroughly with soap and plenty of water.

### 5. FIRE-FIGHTING MEASURES

**Suitable extinguishing media:** sprayed water jet, extinguishing powder, Carbon dioxide (CO<sub>2</sub>), Foam, Dry chemical



## SAFETY DATA SHEET

112000009624

according to Regulation (EU) No. 1907/2006

**BAYBLEND FR 3000**

Version 1.1

Revision Date 11.08.2009

Print Date 12.08.2009

Burning releases carbon monoxide, carbon dioxide, oxides of nitrogen and traces of hydrogen cyanide. In the event of fire and/or explosion do not breathe fumes.

Firemen must wear self-contained breathing apparatus.

Do not allow contaminated extinguishing water to enter the soil, ground-water or surface waters.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions:** slip hazard!

**Methods for cleaning up:** Use mechanical handling equipment. Avoid dust formation.

**Additional advice:** For further disposal measures see chapter 13.

**7. HANDLING AND STORAGE****Handling**

Under recommended processing conditions small amounts of residues of monomers and residual solvent may be emitted. Provided good ventilation and/or local exhaust systems are used, the Workplace Exposure Limit(s) stated in Chapter 8 should not be exceeded.

Dust must be removed by effective exhaust ventilation.

**Storage**

No special storage conditions required.

VCI storage class (VCI = German Association of the Chemical Industry): 11

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

The regulations for the substances listed below must be observed when processing this product, particularly if processing takes place at elevated temperatures. In our experience the provision of effective fresh-air and exhaust ventilation equipment at the points where vapors may be generated will ensure compliance with the tolerance limits quoted below.

UK Workplace Exposure Limits (WEL), per EH40 document (Health & Safety Executive). If no UK value exists, EU exposure limits given where available.

Substance	CAS-No.	Basis	Type	Value	Ceiling Limit Value	Remarks
acrylonitrile	107-13-1	EH40 WEL	TWA	2 ppm 4.4 mg/m <sup>3</sup>		Dermal absorption possible

## SAFETY DATA SHEET

112000009624

according to Regulation (EU) No. 1907/2006

**BAYBLEND FR 3000**

Version 1.1

Revision Date 11.08.2009

Print Date 12.08.2009

styrene	100-42-5	EH40 WEL	TWA	100 ppm 430 mg/m <sup>3</sup>		
styrene	100-42-5	EH40 WEL	STEL	250 ppm 1,080 mg/m <sup>3</sup>		
1,3-butadiene	106-99-0	EH40 WEL	TWA	10 ppm 22 mg/m <sup>3</sup>		
ethylbenzene	100-41-4	EH40 WEL	TWA	100 ppm 441 mg/m <sup>3</sup>		Dermal absorption possible
ethylbenzene	100-41-4	EH40 WEL	STEL	125 ppm 552 mg/m <sup>3</sup>		
ethylbenzene	100-41-4	EU ELV	TWA	100 ppm 442 mg/m <sup>3</sup>		Dermal absorption possible
ethylbenzene	100-41-4	EU ELV	STEL	200 ppm 884 mg/m <sup>3</sup>		
phenol	108-95-2	EH40 WEL	TWA	2 ppm		Dermal absorption possible
phenol	108-95-2	EU ELV	TWA	2 ppm 7.8 mg/m <sup>3</sup>		Dermal absorption possible
chlorobenzene	108-90-7	EH40 WEL	TWA	1 ppm		Dermal absorption possible
chlorobenzene	108-90-7	EH40 WEL	STEL	3 ppm		
chlorobenzene	108-90-7	EU ELV	TWA	5 ppm 23 mg/m <sup>3</sup>		
chlorobenzene	108-90-7	EU ELV	STEL	15 ppm 70 mg/m <sup>3</sup>		
triphenylphosphate	115-86-6	EH40 WEL	TWA	3 mg/m <sup>3</sup>		
triphenylphosphate	115-86-6	EH40 WEL	STEL	6 mg/m <sup>3</sup>		
General limiting value of dust		EH40 WEL	TWA	10 mg/m <sup>3</sup>		inhalable fraction
General limiting value of dust		EH40 WEL	TWA	4 mg/m <sup>3</sup>		alveolar fraction

**Respiratory protection:**

In case of dust formation use respiratory equipment with filter type particle filter P1 according to EN 143.

**Hand protection:**

Suitable materials for safety gloves; EN 374-3:

Polyvinyl chloride - PVC ( $\geq 0.5$  mm)

Contaminated and/or damaged gloves must be changed.

**Eye protection:**

Wear eye/face protection.

**SAFETY DATA SHEET**

112000009624

according to Regulation (EU) No. 1907/2006

**BAYBLEND FR 3000**

Version 1.1

Revision Date 11.08.2009

Print Date 12.08.2009

**Skin and body protection:**

Wear suitable protective clothing.

**Hygiene measures:**

Keep away from foodstuffs, drinks and tobacco. Wash hands before breaks and at end of work and use skin-protecting ointment. Change contaminated clothing.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Colour:	different according to colouration	
Form:	granular	
Odour:	odourless	
Softening point:	> 100 - 200 °C	
Melting point/range:	220 °C	
Decomposition temperature:	>= 380 °C	
Density:	ca. 1.1 - 1.2 g/cm <sup>3</sup>	DIN 53479
Bulk density:	600 - 700 kg/m <sup>3</sup>	
Vapour pressure:	not applicable	
Viscosity, dynamic:	not applicable	
Water solubility:	practically insoluble	
pH:	not applicable	
Flash point:	320 °C	
Ignition temperature:	> 320 °C	
Autoignition temperature:	> 390 °C	
Explosion limits:	not applicable	

**10. STABILITY AND REACTIVITY**

**Hazardous reactions:** If overheated, the melt may undergo exothermal decomposition in the air (increase in temperature, generation of smoke or fumes).

**Hazardous decomposition products:** Caused by smouldering and incomplete combustion toxic fumes mainly consisting of CO and CO<sub>2</sub> may be developed.

**Thermal decomposition:** Fumes evolved by overheating during improperly processing or by burning may be injurious to health.

**11. TOXICOLOGICAL INFORMATION**

Under recommended processing conditions small amounts of emissions may occur.

The regulations for the substances listed below must be observed when processing this product, particularly if processing takes place at elevated temperatures.

## SAFETY DATA SHEET

112000009624

according to Regulation (EU) No. 1907/2006

**BAYBLEND FR 3000**

Version 1.1

Revision Date 11.08.2009

Print Date 12.08.2009

Substance	CAS-No.	R-phrase(s)
acrylonitrile	107-13-1	R45 May cause cancer. R23/24/25 Toxic by inhalation, in contact with skin and if swallowed. R37/38 Irritating to respiratory system and skin. R41 Risk of serious damage to eyes. R43 May cause sensitization by skin contact.
styrene	100-42-5	R20 Harmful by inhalation. R36/38 Irritating to eyes and skin.
1,3-butadiene	106-99-0	R45 May cause cancer. R46 May cause heritable genetic damage.
4-Vinylcyclohexene	100-40-3	R45 May cause cancer. R23/24/25 Toxic by inhalation, in contact with skin and if swallowed. R37/38 Irritating to respiratory system and skin. R41 Risk of serious damage to eyes. R43 May cause sensitization by skin contact.
ethylbenzene	100-41-4	R20 Harmful by inhalation.
phenol	108-95-2	R68 Possible risk of irreversible effects. R23/24/25 Toxic by inhalation, in contact with skin and if swallowed. R48/20/21/22 Harmful: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed. R34 Causes burns.
4-tert-butylphenol	98-54-4	R36/37/38 Irritating to eyes, respiratory system and skin.
chlorobenzene	108-90-7	R20 Harmful by inhalation.
bisphenol A; 4,4'-isopropylidenediphenol	80-05-7	R62 Possible risk of impaired fertility. R37 Irritating to respiratory system. R41 Risk of serious damage to eyes. R43 May cause sensitization by skin contact.

**Additional information:**

According to our experience and information the product has no harmful effects on health if properly handled.

**12. ECOLOGICAL INFORMATION**

Do not allow to escape into waterways, wastewater or soil.

**Additional information on ecotoxicology:**

The product is practically insoluble in water. In view of its consistency and insolubility in water,

**SAFETY DATA SHEET**

112000009624

according to Regulation (EU) No. 1907/2006

**BAYBLEND FR 3000**

Version 1.1

Revision Date 11.08.2009

Print Date 12.08.2009

no ecological problems are to be expected if the product is properly handled. The product is not readily biodegradable.

---

**13. DISPOSAL CONSIDERATIONS**

Dispose in accordance with applicable international, national and local laws, ordinances and statutes.

For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used.

After containers have been emptied as thoroughly as possible (e.g. by pouring, scraping or draining until "drip-dry"), they can be sent to an appropriate collection point set up within the framework of the existing take-back scheme of the chemical industry. Containers must be recycled in compliance with national legislation and environmental regulations.

The product is suitable for mechanical recycling. After appropriate treatment it can be remelted and reprocessed into new moulded articles. Mechanical recycling is only possible if the material has been selectively retrieved and carefully segregated according to type.

---

**14. TRANSPORT INFORMATION**

**ADR/RID** Not dangerous goods

**ADNR** Not dangerous goods

**IATA** Not dangerous goods

**IMDG** Not dangerous goods

Other information : Not dangerous cargo.  
Keep dry.

---

**15. REGULATORY INFORMATION**

No labelling is required for this material by the Chemicals (Hazard Information and Packaging for Supply) Regulations 2002 (CHIP3), in accordance with EC Directives.

**National legislation**

**Water contaminating class (Germany):** nw not water endangering  
(in accordance with Annex 1 to the Directive on Water-Hazardous Substances)



## SAFETY DATA SHEET

112000009624

according to Regulation (EU) No. 1907/2006

### **BAYBLEND FR 3000**

Version 1.1

Revision Date 11.08.2009

Print Date 12.08.2009

---

## 16. OTHER INFORMATION

### **Further information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.